

Malicious Software Detection Report

マルウェア検出報告

March 24th, 2020 Editor: Kitani


Recent Malware Trends (最近のマルウェア動向)

| FY2018 | Malware | PCs | TOP Malware |
|-----------|---------|-----|---------------------|
| April | 287 | 29 | JS/Adware.Agent.AA |
| May | 192 | 33 | JS/Agent.OCJ |
| June | 553 | 36 | JS/Adware.Subprop.D |
| July | 58 | 24 | JS/Midspark.G |
| August | 213 | 22 | JS/Adware.Subprop.J |
| September | 177 | 33 | JS/Adware.Subprop.J |
| October | 106 | 24 | JS/Midspark.G, |
| November | 260 | 33 | HTML/ScrInject.B |
| December | 550 | 31 | JS/Adware.Popcash.A |
| January | 673 | 32 | Win32/Agent.TMY |
| February | | | |
| March | | | |
| TOTAL | 3,069 | 297 | |

[January 2020]

Most malicious software (malware) on January 2020 was the “Win32/Agent.TMY”. This is a variant of “Win32/Agent”. The category is the trojan horse. The malware tries to give various influences, such as the reduction of the performance, the damage to a data and the alteration of a data, to an infected computer.


2020年1月で最も検知されたマルウェアは「Win32/Agent」の亜種でした。カテゴリーはトロイの木馬系です。このマルウェアは、感染したコンピューターに対して、パフォーマンス低下、データ破壊や改ざんなど様々な影響を与えようとしています。



Malicious Software Detection Report

マルウェア検出報告

March 24th, 2020 Editor: Kitani



For the Center's members.

The Center's security software had been blocking the detected malware but please check your security software (latest virus definition, not too old software) in your PC if you have a private PC which needs to protect a malware by yourself. Then, if you worry the information infrastructure regarding the information security, please contact the information processing office.

本研究所構成員の皆様へ

本研究所セキュリティ対策ソフトウェアは、これらの検知したマルウェアをブロックしましたが、各セキュリティ対策ソフトウェアのウィルス定義が最新かどうか（古すぎる日付ではないかどうか）確認しておいてください。また、情報セキュリティに関して不安に思うことがあれば、情報処理室へお問い合わせください。

At least, **PLEASE** check the following prevention measures.

また、少なくとも下記の対策は常日頃からチェックしてください。

1. Create "Autorun.inf" folder on the top of your removable media.

外部メディアのトップに「Autorun.inf」フォルダを作成する

A lot of malware tries to overwrite "Autorun.inf" file on the top of a removable media because Windows OS automatically carries out a program by loading "Autorun.inf" setting when the media inserts to a PC. b Therefore, the malware is lurked into a hidden area and it tries to act by loading "Autorun.inf" file. **A simple malware is failure the overwriting of "Autorun.inf" file if "Autorun.inf" folder exists. This is a small-scale security prevention measure, but please cooperate for reducing the infection to removable medias.**

マルウェアの多くは、外部メディアのトップに Autorun. inf ファイルを作成し、感染を広げようとします。これは、Windows OS が外部メディアを接続する際に、そのファイルに書かれた命令をチェックして実行しようとするためです。もし Autorun. inf フォルダが存在すると、単純なマルウェアの場合、Autorun. inf への書き込みに失敗します。これは小規模で手軽なセキュリティ対策になりますが、過去に効果が出たことがあります。

2. Update of the computer security (OS やアプリのセキュリティ更新を忘れずに！)


Malicious Software Detection Report

マルウェア検出報告

March 24th, 2020 Editor: Kitani

<http://www.cseas.kyoto-u.ac.jp/info/security> (in English and Japanese)

Transition of Malware Detections since 2015 fiscal year



*“Auto-Detection” is the number of malware which can be detected by our anti-virus software.

[Auto-Detection Total]: 28,205 (since August 2009)

| FY | FY2014 | FY2015 | FY2016 | FY2017 | FY2018 | FY2019 | FY2020 | FY2021 |
|----------|--------|--------|--------|--------|--------|--------|--------|--------|
| Total | 4,275 | 5,315 | 3,503 | 3,784 | 1,931 | 3,069 | | |
| AVG(day) | 15.83 | 14.56 | 9.6 | 10.37 | 5.29 | 10.00 | | |